

PRE-OWNED AIRCRAFT SALES



HIGHLIGHTS

Part 91 Certified

EIS: 03/2007

CESCOM Maintenance Tracking

2770 TTAF on JSSI

Doc Inspection: 48 Month due 2024/2026 | 72 Month due 2024

The Citation Sovereign blends comfort, style and performance with its longer cabin, expansive baggage and range. The aircraft is ideal for longer range trips and flights to the mountains with outstanding high elevation and short field performance.



AIRFRAME	2770 Hours / 1871 Cycles	(As of Mar 21, 2023)
ENGINES Engine Time & Cycles	Pratt & Whitney Canada PW306C Engine 1	
Power-By-The Hour Plan	2770 Hours 1871 Cycles JSSI Essential LLC	
APU APU Total Time	Honeywell RE-100 (CS) 1989 Hours / 2226 Cycles (since new)	
EXTERIOR	Overall Matterhorn White with Triple Tri-Tone Brown Accent Stripes on Fuselage	
INTERIOR Entry	9 Passengers (Fire Blocked) Cockpit/Cabin Pocket Door, Large Fwd-LS Closet and Chart Closet, RS-Fwd Deluxe Galley, w/Dual Coffee Containers, Ice Drawer & Storage, Fwd LH-RH Cabinets and Galley Refinished 2015	
Main Cabin	Double-Club & RH-Fwd Single Seats Four (4) Executive Fold-Away Tables Earthtone Interior w/ Light Camel Townsend Figured French Walnut Woodwork & Quake Fixtures, Honeycomb Upper Sidewalls, Cam Sound-Absorbing Lower Sidewalls, Kalogrid Suede Window Shades	r City Fine Antique Gold el PSU & Textured Henna
Aft Cabins	Pocket Doors to Aft Non-Belted Lav/Sink/Va Storage Closet	anity & Aft Centerline
ENTERTAINMENT	Entertainment is Airshow 400 w/ Four 8.4" S	ide-ledge Monitors
AVIONICS	Flight Display: 4-Tube Primus Epic ADS-B Out: ADS-B Out v2 Comm: Dual Honeywell TR-865A w/8.33 kHz AFIS: Honeywell CMF/VHF Datalink Nav: Dual Honeywell NV-875A w/FM Immur TCAS: Honeywell TCAS-67-II AHRS: Collins AHC-3000 ELT: Kannad 406AF FMS: Dual Honeywell Primus Epic DME: Dual Honeywell DM-855	

2006 Cessna Citation Sovereign



FMS-DB: FMS "TOLD" Database ADF: Dual Honeywell DF-855

GPS: Honeywell Dual RadAlt: Honeywell AA-300

DMU: Honeywell

SatCom: AirCell ST-3100 Iridium w/ Intercom

WX Radar: Honeywell Primus WU-880 Color Stabilized

TAWS: Honeywell EGPWS w/ W-S

Hi-Freq: Dual King KRX-1053 w/Coltech CSD-714 SelCal

CVR: L3 FA2100

2nd Hi-Freq: Provisions *FDR*: L₃ FA₂₁00 SSFDR

Transponder: Honeywell XS-857A w/Enhanced Surveillance

FltController: Honeywell GP-400 Audio Panel: Dual AV-850A AutoPilot: Dual Honeywell

RMU: Dual RM-855 w/ Color CDUs

GS/MB: Dual Glideslope/Marker Beacons

ADM: AZ-200 ADC Audio Panel: AV-850A

*NAV Capable as Equipped: RVSM Approved with MNPS< RNP-10,

WAAS, LPV





ADDITIONAL EQUIPMENT

Crew Sheepskins
PulseLights w/ TCAS Interface
Four (4) Side-Ledge LCD Monitors
Standby Gyro/ALT/IAS/HIS
Dual Marathon Batteries
Full-Recline/Tracking Club Seats

Lighted Chart Holders
Hand-Held Fire Extinguisher
Aft Lavatory Storage Closet
Cockpit Audio Mute

Airshow 400 EROS MLD20-502 Oxygen Masks Dual 76 CuFt Oxygen Bottles LS/RS Cockpit Jepps Storage LED Navigation Lights

Single-Keyed

Seatback Pockets on Club Seats

Monorail Sunvisors

External Service Lavatory Seven (7)110 VAC Outlets

GENERAL SPECS ON CITATION SOVEREIGN

Two Pratt & Whitney PW306C engines power the Citation Sovereign each offering 5,770 pounds of thrust and using a combined 247 gallons per hour (GPH). The range of the Citation Sovereign is 2,829 nm operating under NBAA IFR 4 passengers with available fuel.

Speed

Maximum Cruise Speed: 445 kts 824 km/h Long-range Speed: 397 kts 735 km/h

Airfield Performance

Takeoff distance: 3,640 ft (1,109 m) (SL, ISA, MTOW)
Landing distance: 2,202 ft (671 m) (SL, ISA, MLW)

Operating Altitude

Max Operating Altitude: 47,000 ft (14,326 m)

Weights

 Max ramp weight:
 30,550 lb (13,857 kg)

 Max takeoff weight:
 30,300 lb (13,744 kg)

 Max landing weight:
 27,100 lb (12,292 kg)

 Max zero fuel weight:
 20,800 lb (9,435 kg)

 Standard basic operating weight:
 18,150 lb (8,233 kg)

BACKGROUND

The Cessna Citation Sovereign was designed to provide overall excellent performance while allowing exceptional comfort for passengers. It was first introduced as a high-performance jet to plug the gap between the Excel/XLS and Citation X, but its claim to fame is that it can take-off and land at short distances thanks to a moderately swept high-aspect ratio wing.

North America has the largest percentage of wholly owned Sovereign aircraft (72%), followed by Europe (11%) and South America (6%).

2006 Cessna Citation Sovereign
























2006 Cessna Citation Sovereign

SELECT # AERO



9 passenger seating arrangement








RANGE MAP

Source: Conklin de Decker. Range averages based on 4 passengers and subject to variation with weight, age of plane and other factors.





















Specifications/Descriptions are provided as information and do not constitute representations or warranties of Select Aero Inc. Aircraft specifications are subject to verification upon aircraft inspection by purchaser. Accordingly, you should rely on your own inspection of the aircraft. Any proposed transaction is subject to final execution of a contract acceptable in form and substance to Select Aero Inc., its clients, and their counsel.





David G. Riley 5455 Airport Road South, Hangar D, Richmond, BC V7B 1B5 driley@select.aero Mobile: 778-388-7925

2006 Cessna Citation Sovereign

SELECT AERO